







ROCK SOLID, FIELD READY





# archer specifications

#### **Processor**

• 520 Mhz PXA270 processor

# **Operating System and Software**

- Windows Mobile® 6.1 Classic
- Microsoft® Office Mobile
- Multiple languages

### **Memory and Data Storage**

- 128 MB RAM
- 512 MB internal data storage
- Compact Flash slot (Type I or Type II)
- SD/SDHC slot, SDIO supported
- CF and SD slots user accessible

# **High Contrast Color Display**

- Active viewing area: 3.5" (89 mm) QVGA (240 x 320)
- High visibility active matrix TFT transflective backlit LCD

#### Kevboard

- Four-way directional button
- Discrete keys for Start, Applications Manager, Home, Context Menu, Return and Power/Suspend
- Key functions can be user-defined
- LEĎ backlit keys

#### **Ports**

- COM 1, RS-232C 9-pin D connector with 5VDC power on DTR pin
- USB Host Mini A
- USB Client Mini B
- 12 VDC @ 800mA power in, 10 18 V unregulated
- Communications module is user replaceable

- Size: 6.5" length x 3.5" wide x 1.7" thin (165 x 89 x 43 mm)
- Weight: 17 oz (482g) with battery
- Magnesium case with scratch resistant powder coat
- Easy to grip, impact absorbing overmold

## **Environmental**

- IP67 waterproof and dustproof
- Operating temperature: -22F to 130F (-30C to 55C)
- Storage temperature: -22F to 140F -30C to 60C)
- Shockproof: multiple drops from 5 ft (1.5 m) onto concrete
- Tested to MIL-STD-810F for water, humidity, sand and dust, vibration, altitude, shock, temperature

#### Power

- Intelligent 3900mAh Li-Ion batterv
- Operates for up to 20 hours on one charge
- Charges in 4 to 6 hours
- Battery easily changed in the field without tools

- Wireless Connectivity Options
  Internal Bluetooth® wireless technology option, 2.0 +EDR, Class 1, range 65 feet (20 meters)
- Wi-Fi supported (requires SDIO or CF Wi-Fi card for wireless networking)

### Certifications and Standards

- FCC Class B
- CE Mark
- EN60950
- RoHS Compliant
- FM Approved Class I, Div 2

## **Standard Accessories**

- 3900mAh Li-Ion battery
- 100-240V AC power supply US plug
- USB sync cable
- Captured full-size stylus
- Microsoft Getting Started CD
- User Documentation CD
- Screen protector
- Hand strap

## **Optional Accessories**

- Communication cap
- Universal cap
- Optical cap
- Data Acquisition cap
- Hemisphere GPS® XF101 Receiver
- Power Dock
- Travel Charger
- 12VDC vehicle charger
- International AC charger kit includes US, EU, Australia, UK plugs



Archer plus Hemisphere GPS XF101 Receiver

Windows

Copyright 09/09 Juniper Systems, Inc. Specifications are subject to change without notice. Juniper Systems, the Juniper Systems logo, and Archer Field PC are registered trademarks of Juniper Systems, Inc. Bluetooth is a registered trademark of the Bluetooth SIG, Inc. All other trademarks are registered or recognized by their respective owners. © 2008 Jupiterimages Corporation.

Windows Mobile and the Windows logo are trademarks of the Microsoft group of companies.





# archer

The Archer excels when you work in the extremes. Depend on it to collect, map, and navigate. Drop, dunk, then use the Archer. It survives in the most rugged applications. The Archer is your essential computing tool that gets your job done . . . anywhere.

Customers are our passion. We are dedicated to exceed your expectations. Providing intuitive field computing solutions designed for rugged applications is what we do. Your applications fulfill the potential of the Archer.

Call us for a demo today.

**OINTUITIVE** 

# FIELD COMPUTING SOLUTIONS

for rugged applications



1132 West 1700 North Logan, Utah 84321 USA Phone: 435.753.1881 Fax: 435.753.1896 Email: js@junipersys.com www.iunipersys.com

